

Feuille1

Prof	Durée	Air		Prof	Durée	Air		Prof	Durée	Air		Prof	Durée	Air				
		3m	Oxy 6m			6m	3m			6m	3m			6m	3m	6m	3m	Oxy 6m
15	1h20			21	35			24	25			27	20					
	1h30	3	3		40		3		3	30			3	3	25		3	3
	1h40	5	3		45		5		3	35			5	3	30		5	3
18	50			21	50		7	5	24	40		7	5	27	35		10	5
	1h00	5	3		1h00		15	7		45		10	5		40	3	12	7
	1h10	7	5		1h10		20	10		50		15	7		45	3	15	10
	1h20	15	7		1h20	3	25	15		60	3	20	15		50	5	20	15

Temps équivalent pour successive

Une seule successive autorisée

Prof. Succ.	Intervalle surface inférieur à :									
	0h30	0h45	1h00	1h30	2h00	3h00	4h00	5h00	6h00	12h00
12-14m	110	90	80	70	60	50	40	30	20	15
15-17m	85	70	60	55	50	40	30	20	10	10
18-20m	65	55	50	45	40	30	25	15	10	10
21-23m	55	45	45	40	35	25	20	15	10	10
24-26m	50	40	35	35	25	25	15	15	10	5
27-29m	45	35	35	30	25	20	15	10	10	5
30-32m	40	30	30	25	25	20	15	10	10	5
33-35m	35	30	25	25	20	20	15	10	5	5
36-38m	30	25	25	25	20	15	15	10	5	5
39-41m	30	25	25	20	20	15	10	10	5	5
42-44m	25	25	20	20	15	15	10	10	5	5
45-47m	25	20	20	20	15	15	10	10	5	5
48-50m	25	20	20	15	15	15	10	10	5	5
51m	25	20	20	15	15	10	10	5	5	5

Durée à ajouter au temps réel pour obtenir le temps équivalent

Si ce résultat ne donne pas de palier, effectuer 3 min à 3 m

TABLE TRAVAIL AIR / OXY 6 m

Altitude 0 – 300 m / Vitesse de remontée au 1er palier 12m/min

Prof	Durée	Air			Oxy 6m	Prof	Durée	Air			Oxy 6m	Prof	Durée	Air			Oxy 6m						
		9m	6m	3m				12m	9m	6m				3m	15m	12m		9m	6m	3m			
30	15					39	8					48	5										
	20			3	3		10				3		3	10					5	3			
	25			5	3		15				5		3	15				3	7	7			
	30			10	5		20			3	7		7	20			3	7	15	15			
	35		3	12	7		25			5	15		10	25			5	10	20	20			
	40		5	17	15		30		3	7	20		15	30		3	7	15	30	25			
	45		7	20	15		35		5	10	25		20	35	51	5							
	50		10	25	20		40	3	7	15	30		25	40		10				3	5	5	
33	12					42	7					54	5						3	3			
	15			3	3		10				3		3	10						3	7	7	
	20			5	3		15			3	5		5	15						3	5	12	10
	25		3	7	5		20			3	12		10	20			5	7	15	35	25		
	30		3	12	7		25		3	7	17		15	25									
	35		5	15	10		30		5	10	25		20	30						3	7	7	
	40	3	7	20	15		35	3	7	15	30		25	35				3	5	12	10		
	45	3	10	25	20		40	3	10	20	35		30	40		3	5	10	17	15			
36	10					45	6					57	5					3	3				
	15			3	3		10				3		3	10					3	7	7		
	20			7	5		15			3	7		7	15				3	7	15	15		
	25		3	12	7		20		3	5	12		10	20			3	7	15	15			
	30		5	17	15		25		3	7	20		15	25		3	5	10	20	20			
	35	3	10	20	15		30	3	5	12	25		20	30		3	5	7	15	30	25		
	40	3	12	25	20		35	3	7	15	30		25	35	60	5					5	3	
																10					3	5	7
												15		3		5	7	15	15				
												20		5		7	12	25	20				
												25	3	5		10	20	35	30				

Intervalle minimum entre 2 plongées
12h00 successives voir au dos

54, 57 et 60 m successives interdites

Le palier 6m oxy remplace 6m air et 3m air